



Philips LED Luminaires product portfolio




Recessed Downlights

Astra Sleek



Features

- Material: Polycarbonate
- Body color: White
- Diffuser: Milky white
- Wattages available: 5W, 10W, 15W, 22W
- Cut-out sizes: 3”, 4.3”, 5.5” 6”, 7.4”
- CCTs available: WW, NW, CDL
- Type of driver: Integrated



Shape	Wattage	Cut-out (mm)	Cut-out (inches)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round	5W	75	3.0	375	75	106	106	21
Square	5W	75	3.0	375	75	96	96	21
Round	10W	110	4.3	800	80	130	130	21
Square	10W	110	4.3	800	80	130	130	21
Round	15W	140	5.5	1200	80	160	160	21
Square	15W	140	5.5	1200	80	160	160	21
Round	15W	152.4	6.0	1200	80	170	170	22
Round	22W	188	7.4	1760	80	225	225	23
Square	22W	188	7.4	1760	80	225	225	23

Astra Sleek 3in1

Adjustable lighting One light, three moods




Available in

10W
750 lm

15W
1125lm

Perfect ambiance for every room



Features

- Material: Polycarbonate
- Body color: White
- Diffuser: Milky white
- Wattages available: 10W and 15W
- Cut-out sizes: 4.3", 6"
- CCTs available: Tunable white on switch toggle
- Type of driver: Integrated

One downlight, 3 light modes



Transform your space with Astra Sleek Light it your way



Choose colour style
as per your preference



Switching
sequence is Cool to
Natural to Warm

LED

10W
750 lm

EyeComfort
Technology

Surge Protection
upto 3kV



Shape	Wattage	Cut-out (mm)	Cut-out (inches)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round	10W	110	4.3	750	75	140	140	25
Round	15W	152.4	6.0	1125	75	170	170	25

- Switching sequence is Cool to Natural to Warm
- Power Switch Single Toggle OFF-ON within 1~5 sec, lead to next color
- For reset mode (CDL), Switch OFF the product for >9 Sec and then turn ON
(Memory function is not there)



Features

- **Ultra-efficient light output of 110 lumen/watt**
- Material: Polycarbonate
- Body color: White
- Diffuser: Milky white
- Wattages available: 5W, 10W, 12W, 15W, 18W, 22W
- Shapes available: Square and Round
- CCTs available:
 - WW, NW, CDL (all shapes, all wattages)
 - Red, Green, Blue, Pink (only 5W Round)
- Type of driver: External

Shape	Wattage	Cut-out (mm)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round/Square	5W	75	500	100	106	106	21
Round/Square	10W	110	1100	110	130	130	21
Round/Square	12W	140	1320	110	158	158	21
Round/Square	15W	140	1650	110	158	158	22
Round/Square	15W	152.4	1650	110	172	172	22
Round/Square	18W	152.4	1980	110	172	172	22
Round/Square	22W	188	2420	110	225	225	22

Ultra Glow 3in1



Features

- Ultra-efficient light output of 100 lumen/watt
- Material: Polycarbonate
- Body color: White
- Diffuser: Milky white
- Wattages available: 10W, 15W
- Cut-out sizes: 4.3”, 6”
- CCTs available: Tunable white (on switch toggle)
- Type of driver: External

Philips Ultra Glow 3-In-1 LED Downlight



Wattage	Cutout Round & Square (Inches)
10w	4.3
15w	6

Shape	Wattage	Cut-out (mm)	Cut-out (inch)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round/Square	10W	110	4.3	1000	100	130	130	21
Round/Square	15W	152.4	6.0	1500	100	170	170	22

- Switching sequence is Cool to Natural to Warm
- On/Off within 2 seconds leads to next color
- On/Off 7 times within 10 secs. leads to reset, i.e. Cool Daylight (The light should be ON before reset operation)
- On/Off after 5 secs. will retain last operating mode



Features

- **Ultra-efficient light output of 150 lumen/watt**
- Material: Polycarbonate
- Body color: White
- Diffuser: Milky white
- Wattages available: 5W*, 10W, 15W, 22W
- Cut-out sizes: 3”, 4.3”, 6”, 7.4”
- Shapes available: Square and Round
- CCTs available:
 - WW, NW, CDL (all shapes, all wattages)
- Type of driver: External

Shape	Wattage	Cut-out (mm)	Cut-out (inches)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round/Square	5W	75	3.0	600	120	106	106	21
Round/Square	10W	110	4.3	1500	150	130	130	21
Round/Square	15W	152.4	5.5	2250	150	170	170	22
Round/Square	22W	188	7.4	3300	150	225	225	22

*5W comes with 120 lumen/watt



Features

- Dual benefits of functional and ambient lighting
- Beautiful outer glowing ring for ambience/mood lighting
- Material: Polycarbonate
- Body color: White
- Diffuser: Milky white
- Wattages available: 10W, 15W
- Type of driver: Integrated

Shape	Wattage	Cut-out (mm)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round	10W	106	1000	100	120	120	26
Round	15W	152.4	1500	100	160	160	26



Instructions to switch between functional and ambient light

- Single toggle OFF-ON with in 1~5 seconds leads to switching between functional (downward) and ambient light (glowing ring).
- For reset mode (functional light), switch OFF the product for >9 seconds and then turn ON.

TwinGlow (with external driver)



Features

- **Dual benefits of functional and ambient lighting**
- **Beautiful outer glowing ring for ambience/mood lighting**
- Material: Polycarbonate
- Body color: White
- Diffuser: Milky white
- Wattages available: 10W, 15W
- Type of driver: External

Shape	Wattage	Cut-out (mm)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round	10W	106	1000	100	120	120	26
Round	15W	152.4	1500	100	160	160	26



Instructions to switch between functional and ambient light

- ON /OFF within 2 seconds leads to Direct/Ambient light
- ON/OFF 7 times within 10 seconds leads to reset, i.e. Direct light (light should be ON before reset operation)
- ON/OFF after 5 seconds will retain last operating mode (Memory function)

Astra Max Plus



Features

- High efficiency light output of 100 lumen/watt
- Material: Aluminium
- Body color: White
- Diffuser: Milky white
- Wattages available: 5W, 10W, 15W, 18W
- CCTs available: WW, NW, CDL
- Type of driver: External



Shape	Wattage	Cut-out (mm)	Cut-out (inch)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round	5W	82	3.2	500	100	110	110	18
Square	5W	110	4.3	500	100	120	120	18
Round	10W	136	5.4	1000	100	150	150	18
Square	10W	136	5.4	1000	100	150	150	18
Round	15W	159	6.3	1500	100	170	170	18
Square	15W	156	6.1	1500	100	170	170	18
Round	18W	178	7.0	1800	100	190	190	18
Square	18W	180	7.1	1800	100	190	190	18



Recessed Spots/COBs



Features

- Entry-level spot light in Philips portfolio
- Material: Full polycarbonate body
- Body color: White
- Wattages available:3W, 6W, 12W
- Beam angle: 60 degrees
- Tiltability: 30 degrees
- CCTs available: WW, NW, CDL
- Type of driver: External

Shape	Wattage	Cut-out (mm)	Cut-out (inches)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round	12W	107	4.2	1000	83	122	122	55
Round	3W	63	2.5	270	90	74	74	40
Round	6W	73	2.9	480	80	88	88	45

Philips Deco Bright Spot



Features

- Spot light with decorative reflectors
- Deep recessed for low glare
- Material: Full polycarbonate body
- Body colors:
- Wattages available: 7W, 12W, 18W
- CCTs available: WW, NW, CDL
- Type of driver: External

Shape	Wattage	Cut-out (mm)	Cut-out (inches)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round	7W	75	3.0	450	64	90	90	45
Round	12W	102	4.0	900	75	130	130	53
Round	18W	138	5.4	1440	80	160	160	53

Body colors

- Black body with black/rose gold reflector
- White body with chrome/white/black/rose gold reflector



Features

- COB (not SMD)
- Aluminium heat sink with polycarbonate body
- Lens-based product offering accurate beam angle of 40 degrees
- Unique frosting in the middle giving decorative touch to the fixture
- Body colors: Black and White
- Wattages available: 7W, 12W
- CCTs available: WW, NW, CDL
- Type of driver: External

Shape	Wattage	Cut-out (mm)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round	7W	60	500	70	72	72	45
Round	12W	80	960	80	85	85	50

Body colors

- Black body with black reflector
- White body with white reflector

Philips Astra Spot 1W COB



1
WATT

60 lm

32mm

23mm



Durable metal construction

Sharper focus 30° beam

Fits in compact spaces

Cut out Ø27mm



Philips Astra Mini COB light



Durable metal construction

Sharper focus with 30° beam angle

Fits in compact spaces

Available in color options
~ Warm White, Natural White, Cool White

Shape	Wattage	Cut-out (mm)	Cut-out (inches)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round	1W	27	1.1	60	60	32	32	23

Material: Front is polycarbonate, Back side is aluminium
Body color: White
Driver: External
Beam angle: 30 degrees

signify

Philips Astra Spot 2W COB



CCT	Wattage	Cut-out (mm)	Cut-out (inches)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Red, Green, Blue	2W	34	1.3	NA	NA	42	42	16
CDL, NW, WW	2W	35	1.4	100	50	42	42	16

Material: Polycarbonate (front and back)
Body color: White
Driver: **Integrated**
Beam angle: 36 degrees



Best suited for
Cabinets

Philips Astra Spot 3W COB



Features

- Focused beam of light with COB
- Material: Full metal body (both front and back)
- Body color: White
- Wattages available: 3W
- Beam angle: 36 degrees
- Cut-out sizes: 2"
- CCTs available: WW, CDL
- Type of driver: External

Wattage	Cut-out (mm)	Cut-out (inches)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
3W	52	2.0	200	67	60	60	30
3W	52	2.0	200	67	60	60	30

Philips Astra Spot 3W Tiltable COB



Features

- Focused beam of light with COB
- Material: Aluminium heat sink with polycarbonate body
- Body color: White
- Wattages available: 3W
- Beam angle: 36 degree
- Tiltability: 25 degree
- Cut-out sizes: 2.5”
- CCTs available: WW, NW, CDL
- Type of driver: External

PHILIPS

Focused beam with COB

Adjustable light with tilt

Wide voltage tolerance

Available in color options
~ Warm White, Natural White, Cool White

upto 15,000 hours long life

Philips Astra Spot Tilttable LED COB light


Wattage	Cut-out (mm)	Cut-out (inches)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
3W	64	2.5	240	80	71	71	45



Features

- Focused beam of light with COB
- Material: Aluminium heat sink with polycarbonate body
- Body color: White
- Wattages available: 7W, 12W, 20W
- Beam angle: 36 degree
- Tiltability: 25-30 degrees
- CCTs available: WW, NW, CDL, 3in1 (tunable white)
- Type of driver: External

Wattage	Cut-out (mm)	Cut-out (inches)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
7W	67	2.6	560	80	77	77	56
12W	84	3.3	1050	88	90	90	62
20W	110	4.3	1500	75	120	120	80
7W 3in1	67	2.6	385	55	77	77	52
12W 3in1	84	3.3	840	70	90	90	67



Features

- Focused beam of light with COB
- Material: Aluminium heat sink for longer life
- Wattages available: 7W, 12W
- Beam angle: 36 degree
- Tiltability: 25-30 degrees
- CCTs available: WW, NW, CDL
- Type of driver: External

Shape	Wattage	Cut-out (mm)	Cut-out (inches)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round	7W	67	2.6	475	68	77	77	56
Round	12W	84	3.3	900	75	90	90	66

Body colors

- Black body with black/rose gold reflector
- White body with chrome/silver reflector



Features

- Focused beam of light with COB
- Material: Full Aluminium Body
- Wattages available: 7W, 12W, 18W
- Beam angle: 36 degree
- CCTs available: WW, NW, CDL*
- Type of driver: External

Shape	Wattage	Cut-out (mm)	Cut-out (inches)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round	7W	67	2.6	475	80	72	72	58
Round	12W	73	2.9	900	80	85	85	75
Round	18W	90	3.2	900	80	90	90	90

Body colors

- Black body with rose gold reflector
- Black body with black reflector
- White body with rose gold reflector
- White body with white reflector

*CDL- Only available in White-White variant



Surface Downlights

Philips 3W Striker Surface



Features

- Slim design
- Ideal for showcases, display units, modular kitchens, under-cabinets
- Material: Polycarbonate
- Wattages available: 3W
- Shape available: Only round
- CCTs available: WW, NW, CDL, Red, Green, Blue

Shape	Wattage	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round	3W	150	50	68	68	13.5

Philips Seam Glow Surface downlight



Features

- Edge to edge diffuser for even glow
- Slim design
- Material: Polycarbonate
- Shape available: Round, Square
- Wattages available: 6W, 12W, 15W, 18W, 24W
- CCTs available: WW, NW, CDL

Shape	Wattage	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round/Square	6W	480	80	90	90	27
Round/Square	12W	960	80	120	120	27
Round/Square	18W	1440	80	155	155	27
Round/Square	24W	1920	80	190	190	27



Features

- Thin trim for superior aesthetics
- Easy-to-install bracket mechanism
- Material: Polycarbonate
- Wattages available: 12W, 18W
- Shape available: Round, Square
- CCTs available: WW, NW, CDL



Shape	Wattage	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round/Square	12W	1020	85	120	120	29
Round/Square	18W	1530	85	152	152	29

Philips Full Glow Surface downlight



Right light for your home



Light that's easy on your eyes



Innovation + you



Features

- Ultra-efficient light output at 100 lumen per watt
- Slim design
- Material: Polycarbonate
- Eye Comfort technology
- Wattages available: 6W, 12W, 15W, 18W, 24W
- CCTs available: WW, NW, CDL

Shape	Wattage	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round/Square	6W	600	100	102	102	29
Round/Square	12W	1200	100	145	145	29
Round/Square	15W	1500	100	145	145	29
Round/Square	18W	1800	100	200	200	29
Round/Square	24W	2400	100	200	200	29

Philips Full Glow 5W Striker Surface



Right light for your home



Light that's easy on your eyes



innovation + you



EyeComfort Technology

Reduces glare

Minimizes flicker

Tailored for well-being

Features

- Ultra-efficient light output at 100 lumen per watt
- Slim design
- Ideal for showcases, display units, modular kitchens, under-cabinets
- Material: Polycarbonate
- Wattages available: 5W
- Shape available: Only round
- CCTs available: WW, NW, CDL

Shape	Wattage	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round	5W	500	100	63	63	17

Philips Full Glow 3in1 Surface



Features

- Tunable white light via switch toggle
- Ultra-efficient light output at 100 lumen per watt
- Slim design
- Material: Polycarbonate
- Eye Comfort technology
- Wattages available: 12W, 15W
- Shape available: Only round
- CCTs available: WW, NW, CDL

Shape	Wattage	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round	12W	1200	100	145	145	29
Round	15W	1500	100	145	145	29

- Switching sequence is Cool to Natural to Warm
- Power switch single toggle OFF-ON within 1~5 secs leads to next color
- For reset mode (CDL), switch OFF the product for >9 secs & then turn ON

Philips Full Glow Sensor Surface V2



Features

- Motion sensor with 360-degree motion detection
- Ultra-efficient light output at 100 lumen per watt
- Slim design
- Material: Polycarbonate
- Eye Comfort technology
- Wattages available: 15W
- Shape available: Only round
- CCTs available: WW, NW, CDL

Shape	Wattage	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round	15W	1500	100	145	145	42

- Sensing detection up to 4.5m (Installation height $\geq$ 10 feet height & distance between two devices should be $>2\text{m}$)
- **Auto-dimming to 10% brightness level** when no movement is detected for 1 minute



Surface Spots/COBs



Features

- Spot-light having wide beam angle of 60 degrees
- Material: Polycarbonate
- Wattages available: 6W, 12W
- CCTs available: WW, NW, CDL

Wattage	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
6W	480	80	73	73	78
12W	1000	83	101	101	95



Junction Box downlights

Philips Star Fit JB (2" shallow Junction Box)



Features

- Material: Polycarbonate
- Wattages available: 3W
- Shapes available: Round
- CCTs available: WW, NW, CDL, Red, Green, Blue and Pink
- Driver type: Integrated

Shape	Wattage	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)	Cut-out (mm)
Round	3W	240	80	85	85	20	43


Philips Prime Neo JB (2" deep Junction Box)



Features

- Material: Polycarbonate
- Wattages available: 3W
- Shapes available: Round
- CCTs available: WW, NW, CDL, Red, Green, Blue and Pink

Shape	Wattage	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)	Cut-out (mm)
Round	3W	240	80	80	80	34	56



Philips Star Fit JB (2.5”/3” Junction Box)



Features

- Material: Polycarbonate
- Wattages available: 5W, 7W, 10W
- CCTs available: WW, NW, CDL (all wattages), RGBP (5W only)

Wattage	Cut-out (mm)	Cut-out (inches)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
5W	80	3.1	500	100	108	108	26
7W	80	3.1	630	90	108	108	26
10W	80	3.1	700	70	108	108	34

- 5W and 7W products fit in both 2.5” and 3” junction boxes
- 10W products only for 3” junction boxes



Features

- Material: Polycarbonate
- Wattages available: 5W*, 7W**, 10W
- Shapes available: Round
- CCTs available: Tunable white through switch toggle

Shape	Wattage	Cut-out (mm)	Cut-out (inches)	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)
Round	5W	80	3.1	350	70	108	108	26
Round	7W	80	3.1	490	70	108	108	34
Round	10W	80	3.1	700	70	108	108	34

- Switching sequence is Cool to Natural to Warm
- Power switch single toggle OFF-ON within 1~5, lead to next color
- For reset mode (CDL), Switch OFF the product for >9 Sec and then turn ON

*5W will fit in both 2.5” and 3” junction boxes

**7W and 10W will fit in 3” junction boxes only

Philips Deco Bright JB (3" Junction Box)



Features

- Premium decorative look
- Material: Polycarbonate
- Wattages available: 7W
- Shapes available: Round
- CCTs available: WW, NW, CDL
- Multiple reflector color options

Shape	Wattage	Lumen	LPW	Length (mm)	Width (mm)	Height (mm)	Cut-out (mm)
Round	7W	450	64	90	90	45	75

Multiple reflector options



Rose Gold



White



Black



Chrome

@signify